



**st**  
santec  
clean needs. met.™

**three**™

low temperature machine sanitizer

**DANGER**

**KEEP OUT OF REACH OF CHILDREN**

**PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CORROSIVE:** causes severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling and before eating, drinking, chewing gum, using tobacco, or using toilet. Avoid breathing vapors. Vacate poorly vented areas as soon as possible. Do not return until odors have dissipated. **ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA. **PHYSICAL AND CHEMICAL HAZARDS:** **STRONG OXIDIZING AGENT:** Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc. or with ammonia, acids, detergents or other chemicals may release hazardous gases irritating to eyes, lungs and mucous membranes.

**FIRST AID:**

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice. **IF SWALLOWED:** Call a poison control center or doctor for further treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **HOT LINE NUMBER:** Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1 (800) 222-1222 for emergency medical treatment information. Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage. See S.D.S. for additional precautions.

<b>ACTIVE INGREDIENTS:</b>	
SODIUM HYPOCHLORITE .....	12.50%
INERT INGREDIENTS: .....	87.50%
TOTAL: .....	100.00%
UN -1791 C.A.S # 7681-52-9	
E.P.A. REG. NO. 52483-1-84179 E.P.A. EST. NO. 84179-NJ-1	

resolve series | high-performance food service solutions

Santec Inc., 1420 East Linden Avenue, Linden NJ 07036

**DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling. **DIRECTIONS FOR SANITIZING AND DEODORIZING FOOD PROCESSING, DAIRY FARM, HOTEL, RESTAURANT AND TAVERN EQUIPMENT-IMMERSION METHOD:** Prepare a sanitizing solution by thoroughly mixing in an immersion tank, add 2 oz. of Resolve Three with 10 gallons of water to provide approximately 200 ppm of available chlorine by weight. Clean equipment in the normal manner. Prior to use, immerse equipment in the sanitizing solution for at least 2 minutes and allow the sanitizer to drain. Do not rinse equipment in water after treatment. **HOUSEHOLD LAUNDRY SANITIZER:** In soaking suds - thoroughly mix 2 oz. of resolve three to 10 gallons of wash water to provide 200 ppm available chlorine. Wait 5 minutes then add soap or detergent. Immerse laundry for at least 11 minutes prior to starting wash/rinse cycle. In washing suds - thoroughly mix 2 oz. of resolve three to 10 gallons of wash water containing clothes to provide 200 ppm available chlorine. Wait 5 minutes then add soap or detergent and start the wash/rinse cycle. **COMMERCIAL LAUNDRY SANITIZER:** Wet fabrics or clothes should be spun dry prior to sanitization. Thoroughly mix 2 oz. of resolve three to 10 gallons of wash water to provide 200 ppm available chlorine. Promptly after mixing the sanitizer, add the solution into the pre-wash prior to washing fabrics/clothes in the regular wash cycle with a good detergent. Test the level of available chlorine, if solution has been allowed to stand. Add more of this product if the available chlorine level has dropped below 200 ppm. This product used according to these laundry sanitizer directions is effective against *Staphylococcus aureus*, *Pseudomonas aeruginosa*, *Klebsiella pneumoniae*, and Methicillin Resistant *Staphylococcus aureus* ([MRSA]). **TO DISINFECT HARD, NONPOROUS SURFACES:** clean surface by removing gross filth (loose dirt, debris, food materials, etc.). Use 3 ounces of resolve three in one gallon of water to obtain a minimum 2400 ppm available chlorine solution. Thoroughly wet surface with the solution and allow it to remain on the surface for 5 minutes. Rinse with clean water and dry. **SPECIAL LABEL INSTRUCTIONS FOR CLEANING PRIOR TO DISINFECTION AGAINST CLOSTRIDIUM DIFFICILE ENDOSPORES:** Personal protection: Wear appropriate barrier protection such as gloves, gowns, masks and eye covering. Cleaning procedure: fecal matter/waste must be thoroughly cleaned from surfaces/objects before disinfection by application with clean cloth, mop, and/or sponge saturated with product intended for disinfection. Cleaning includes vigorous wiping and/or scrubbing, until visible soil is removed. Special attention is needed for high-touch surfaces. Clean the surfaces in patient rooms in an appropriate manner, with restrooms and other 'dirty' areas cleaned last. Do not reuse soiled cloths. Infectious materials disposal: cleaning materials used that may contain feces/wastes must be disposed of immediately in accordance with local regulations for infectious materials disposal. [for] killing clostridium difficile [spores]: add 1 part bleach to 8 parts water to achieve a 1:9 dilution (-8700 ppm available chlorine) before use. Clean hard, nonporous surfaces by removing gross filth [loose dirt, debris, blood/bodily fluids, etc.]. Apply 1.9 solution and let stand for 5 minutes. Rinse and air dry. Prepare fresh solution daily. [avoid contact with surfaces that may be damaged by bleach.] do not use on nonstainless steel, aluminum, silver, or chipped enamel. Kills 99.9% of bacteria, including methicillin resistant staphylococcus aureus ([mrsa]), when used as directed.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage, disposal, or cleaning of equipment. Store this product in a cool dry area, away from direct sunlight and heat to avoid deterioration. In case of spill, flood areas with large quantities of water. Product that cannot be used should be managed as hazardous waste (households should call your local solid waste agency for disposal instructions). Container rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer. This is a **NONREFILLABLE CONTAINER**. Do not reuse or refill this container. Offer for recycling if available. Cleaning the container before final disposal is the responsibility of the person disposing of the container.

**WARRANTY:** This product is guaranteed to be the chemical as labeled and manufactured in the strength as specified. The manufacturer makes no warranty as to the absolute correctness or sufficiency of the foregoing information, or that additional measures may not be required under some circumstances. The manufacturer furthermore, assumes only limited liability, and is in no way responsible for the improper use, transportation, handling or storage of the product.

TOLL-FREE | 888-726-8323

OFFICES | 908-912-2500

EMERGENCY # | 800-424-9300

WEBSITE | CLEANNEEDS.COM

